



Technical data

| | |
|----------------------------|--|
| product description | <p>550V - plastic seat and backrest 555V - plastic seat and mesh backrest 560V - upholstered seat, plastic backrest 570V - upholstered seat and backrest 575V - upholstered seat and mesh backrest</p> |
| frame | <p>Metal wire with cross section fi 11 mm. Variants: - black (powder coated) - metallic (powder coated) - shiny chrome (chrome)</p> |
| armrest | <p>Metal, integral part of frame, finished with PP pads (color of PP pads corresponds to plastic's color).</p> <p>550V 2P - armrest's pads available in color of plastics on the chair. Other models - armrest's pads available in color of seat's masking cover.</p> |
| glides | <p>- standard - teflon glides (universal). - option - felt glides (for hard floors),</p> |
| seat | <p>- plastic - upholstered - cut foam - density 35 kg/m3 - underside of the seat: black plastic (black and chrome frame) and grey plastic (metallic frame)</p> |
| backrest | <p>- plastic - upholstered - cut foam - density 35 kg/m3</p> |

- mesh

net weight 550V, 575V - 6,5 kg
550V 2P, 575V 2P - 8,0 kg
555V - 6,0 kg
555V 2P - 7,5 kg
560V - 7,0 kg
560V 2P - 8,5 kg
570V - 7,5 kg
570V 2P - 9,0 kg
W - 13,0 kg

gross weight 550V, 575V - 10,5 kg
550V 2P, 575V 2P - 12,0 kg
555V - 10,0 kg
555V 2P - 11,5 kg
560V - 11,0 kg
560V 2P - 12,5 kg
570V - 11,5 kg
570V 2P - 13,0 kg
W - 16,0 kg

stacking 15/45* pcs. - 550V, 555V
10/45* pcs. - 550V 2P, 555V 2P
5/20* pcs. - 560V, 560V 2P, 570V, 570V 2P, 575V, 575V 2P

*Maximum quantity on the trolley for transportation.

additional - joining in rows
- chairs' trolley (W)
- newspapers bin (K)

Dimensions



